

The Korean Intellectual Property Office (KR)  
Unexamined Patent Application (A)

(51) Int.Cl.  
A41B 9/02

(11) Unexamined Publication 10-2001-0037082  
No

(43) Unexamined Publication 2001-05-07  
Date

(21) Application No 10-1999-0044380

(22) Application Date 1999-10-13

(74) Agent Seong-Uk Cho (72) Inventor Yeong-Su Hong  
Se-Geol Park  
Hong-Sun Choi

(71) Applicant Yeong-Su Hong

Examination Requested ; Requested

(54) HEALTH PANTS

 Abstract

  Human Translation

PURPOSE: Provided is a bio-underwear which simplifies its structure to be manufactured easily and contributes to solve troubles in sexual relationship.

CONSTITUTION: The bio-underwear consists of a body comprising a waist band(110), cloth(120), a thigh band(130); and an inner structure(200) of the underwear comprising a scrotum string(210), a penis string(220), a penis moving string, a penis supporting string, walking transmission means(240a, 240b) connected to the thigh band, and a rear induction supporting strings(240c, 240d).

COPYRIGHT 2001 KIPO

 Representative Drawing(s)

Fig. 1

 Claims

The penis string, scrotum line, walking power vehicle, dink motion line, dink bracing cable.

 Description

 Brief explanation of the drawing

2 Fig.1 is a detail view for illustrating the structure of the healthy under pants according to this embodiment 1.

- 3 Figs. 2a through Figs. 2a are the functioning explanation for illustrating the operation of the healthy under pants according to this embodiment 1.
- 4 Fig. 3 is a detail view showing the structure of the healthy under pants according to the embodiment 2.
- 5 Fig. 4 is a schematic diagram for illustrating the structure of the sanitation underwear followed the embodiment 3.
- 6 Figs. 5 through Figs. 5 are the schematic diagram showing the sanitation underwear according to the embodiment 4, and, the other structure.

➤ Details of the Invention

➤ Purpose of the Invention

The Technical Field to which the Invention Belongs and the Prior Art in that Field

- 7 The present invention relates to the reorganization of US09/006,619 A and the PCT application which thus corresponds with KR133304 and (215104) of the applicant looking at, particularly, to the healthy under pants which more makes the structure of the underwear simple and improved so that the Yang SanSi manufacture be facilitated.

Technical challenges of the Invention

- 8 In the above-described patent of this applicant and invention of the patent application, the that the actuating means moves with the walking power of the human body and that makes the glans of dink strong and strengthening the energy effect is written to obtain the effect. But in the conventional underwear as described above, the effect delivering the mobile power was excellent. But problem had the structure of the underwear in the mass producibility and marketability.
- 9 Therefore, an object of the present invention is to provide the healthy under pants which very simply improves structure in order to be facilitated with Yang SanSi, it manufactures in order to solve the conventional problem.
- 10 Moreover, an object of the present invention is to provide the underwear which develops through sanitary and which female conveniently can put.
- 11 Furthermore, an object of the present invention is to provide the healthy under pants which can obtain the absorption effect which is the same as that of the motion and finger-pressure effect and sweat or the sac wet on the stock-base of scrotum and dink by making use of simple line in order to simplify structure.

➤ Structure & Operation of the Invention

- 12 The present invention relates to the method in which left and right by turns make the power in the iteration box while exchanging front and back in which the standards becomes estranged in the vertex of the reversed thigh in which the standards is only a little way from the vertex of the thigh which is advanced when left and right by turns repeat the operation in which left and right thigh move forward and backward in walk, doing the center which at this time moves forward and backward based on the wedding date and, and the apparatus etc. can be provided directly delivers the power which moreover moves with the indirect apparatus delivers the power moving to the sexual contact side (another name Zingiberis Rhizoma cap) or the tool contacting with the wedding date and tool does since tool moves and for moving dink to dink and directly touches dink and moves dink.
- 13 One of the improved invention is the apparatus for doing the inside for the action of the blind angle trunk underwear in order to work even when it just does the ornament which is the same as that of the thigh band of the intimate slip, like that maintaining the outward appearance of the blind angle trunk underwear.

14 Since the walking action is simply connected with the line and the cellar direct crab has the dink contacting the line as the new reorganization it is the apparatus in which dink exercises.

15 And provided are the means doing to method and the Lee which has been raising dink and scrotum by one just simply using only the side line can obtain the motion effect and finger-pressure effect and sweat or the sac wet, including, the absorption effect etc.

16 And provided is the hygienic underwear in which as to the other reorganization, the sexual contact side (another name Zingiberis Rhizoma cap) is prepared at the prefabricated in which the leg interval of the underwear is broken down from the front back plate to the some extent thing and the sanitation underwear in which with being similar with and, this the underwear lower part does to the door equation lavatory and also a plurality of sexual contact sides is prepared.

17 The added devising is characterized that it develops as the change various because of being removable and the sexual contact side is comprised so that carrying be possible.

18 [Embodiment 1]

19 Referring to the attached drawing, the preferred embodiment of the present invention is circumstantially afterward illustrated.

20 This embodiment shows the healthy under pants using the upright walking power.

21 As shown in Fig. 1, the healthy under pants according to this embodiment using the walking power is comprised of the main body (100) and underwear inside structure (200) of the underwear. The main body (100) of the underwear can be the existing trunks or the slip. In the present preferred embodiment, explain the slip as an example.

22 The pantil body (100) provides the waistband (110), and the underwear chum (120) and thigh band (130).

23 Moreover, the underwear inside structure (200) provides walking power vehicles (240a, 240b) and behind conduction bracing cables (240c, 240d) connected to the scrotum line (210), the penis string (220), dink motion lines (230a, 230b), dink bracing cables (250a, 250b), the thigh band.

24 The scrotum line (210), dink bracing cables (250a, 250b), the penis string (220) and dink motion lines (230a, 230b) can be formed with integrality. And dink motion lines (230a, 230b) are connected to appointed areas (110a, 110b) of the anterior of the waistband (110). And and, dink bracing cables (250a, 250b) are connected to left and right appointed areas (110c, 110d) of the waistband (110). And in order to raise scrotum in the state putting on the healthy under pants according to this embodiment in the of which lower center and it raises the scrotum line (210) is formed.

25 Top end portion two places (210a, 210b) of the scrotum line (210) are connected as the leveling string and the penis string (220) is formed. The penis string (220) is formed with the liroc the of which middle part upward has been raising the of which middle part the dink lower part of the healthy under pants wearer. The penis string (220) and the scrotum line (210) for obtaining the finger-pressure effect the flexible line in which the side line of predetermined is desirable but it is thick the elasticity has the part or the whole according to the case or is possible. If necessary, it can be comprised of the etc. given with the bead line or the chain type.

26 Two operation lines (240a, 240b) is extended and two upper ends (210a, 210b) of the scrotum line (210) are connected to rear end two places (130a, 130b) of the thigh band (130). At this time, according to the operation start axis and the transmission path is the underwear type, it anywhere can determine with thigh back and pro. Moreover, connection ropes (240c, 240d) induced are extended to and, the other behind from the lower central part (210c) of the scrotum line (210) and it is connected to bottom backside two sites (130c, 130d) of the thigh band. At this time, thigh

knots (130c, 130d) can be from side to side moved the waistband behind. The operation line (240a) forms the walking power vehicle of the left side on the drawing. And the operation line (240b) forms the walking power vehicle of the right side on the drawing.

27 Hereinafter, if configuration is illustrated like the , or greater for the action of the healthy under pants according to this embodiment included, firstly when wearer puts on the healthy under pants, in order that the dink of wearer of the dink lower part is contacted with the penis string (220) with the penis string (220), moreover, scrotum is inserted through the mesoporum bruise formed owing to the scrotum line (210) and it raises with the lower central part of the scrotum line (210) and the scrotum lower part is put. The role of removing the moisture of the scrotum surrounding and dink can have the penis string and scrotum line.

28 In this way, in the state where it completes the wearing, as shown in wearer is seen in the stationary state in the drawing 2A, it is in the state that dink raises dink with the penis string and surging up. Moreover, if only wearer catches waistband and the inside the waist of one's trousers is raised and it raises, it is kindhearted. The dink of the penis string and the wearer surging up with the scrotum line and scrotum upward has been raising the dink of the penis string and the wearer and scrotum the motion and finger pressure or the magnetic pole are bumped into.

29 If wearer puts on the healthy under pants according to this embodiment and it walks, as shown in figs. 2B and figs. 2B If only one side thigh of wearer goes ahead, the thigh band filled with the other side thigh pulls the penis string. Therefore, the dink of wearer is moved in the walking action of the walk through the simple operation in which wearer walks.

30 More concretely, as shown in it is seen for the standing erect stop motion in the , drawing 2A, the state where the penis string faces dink dink to the front from the central location is maintained.

31 As shown in the person putting on the healthy under pants of this embodiment is seen in the drawing 2B, in case the left side thigh goes ahead and the right side thigh goes back, the penis string moves with the movement of thigh.

32 Moreover, as shown in it is seen in the drawing 2C, as much as the penis string is moved with the movement of the , thigh, dink therefore in the case in which the left side thigh goes back and the right side thigh operates in forward direction to the left side • rearward the cellar direct crab.

33 This embodiment employs the mode in which left and right by turns make the power in the iteration box while exchanging in this way, the front and the behind which becomes estranged with the location of the wedding date in the reversed behind which is close to the location of the wedding date from the front in which the center which moves forward and backward because of having in the loose human body front of the human body walking to the standing erect is advanced

34 [Embodiment 2]

35 As shown in this embodiment 2 is seen in Fig. 3, the wearing large (400) formed in the main body (300) of the trunks according to a preferred embodiment of the present invention with integrally is shown.

36 The main body (300) of the trunks can be the existing trunks or the slip. In the present preferred embodiment, explain the trunks as an example.

37 The pantil body (300) provides the waistband (310) and underwear chum (320).

38 Moreover, the wearing large (400) provides the scrotum line (410), the penis string (420), dink motion lines (430a, 430b) and dink bracing cables (450a, 450b), and rearward conduction connection lines (440a, 440b).

39 As shown in the figure, in the wearing large (400), the , scrotum line (410), dink motion lines (310a, 310b) and dink bracing cables (450a, 450b) are comprised of the separate line and it can connect. But it like that can form into one all-in-one string. Dink motion lines (430a, 430b) are formed in order to be connected to the predetermined location of the front portion of the waistband (310) of the underwear, and two places (310a,310b). And it is formed in order to the dink bracing cable (450a, 450b) be connected to the predetermined site two places (310e, 310f) of waistband right and left. It connects two places (410a, 410b) of the upper end of the scrotum line (410) as the leveling string and the penis string (420) is formed. The penis string (420) is formed with the iroc the of which middle part upward has been raising the of which middle part the dink lower part of the healthy under pants wearer. Preferably, it is made up of the iroc which has been raising while passing by the dink lower part at the lateral. It respects to naturally suppress the dink lower part and give the indirect finger-pressure effect to dink, it is this.

40 The penis string (420) and the scrotum line (410) for obtaining the finger-pressure effect flexible line in which the side line of predetermined is desirable but it is thick the elasticity has the part or the whole according to the case or are possible. If necessary, it can be comprised of the etc. given with the bead line or the chain type.

41 Moreover, as shown in Fig. 3, in the lower center part (410c) of the scrotum line (410), extension straps (440a, 440b) of 2 are extended and it is connected to the predetermined 2 places (310c, 310d) of the rear of the waistband of the pants body.

42 Moreover, the dink single string means adopted for the prior art the function of strengthening dink is added in the penis string (420) or the Zingiberis Rhizoma cap etc. can be adhered.

43 And in order to makes have the finger pressure fitness in which at the same time, dink and scrotum are exactly, adjusting means (410a, 410b) fabricate in the border given the penis string and scrotum. According to this adjusting means (410a, 410b) is the condition of location of the dink of wearer and scrotum, it is the means which it appropriately can control.

44 According to this embodiment, because the different posture and operation are taken against, the finger pressure effect of stimulation which is befittingly in harmony with phallobase with especially, the dink lower part root site with the walking action can be helpful to the penis growth and strengthening to the circulation of the blood which the mood is good the absorption effect including the sac wet of dink and scrotum or sweat etc., the inside the waist of one's trousers is raised, it moves the motion fitness and the pleasant sensation which is the finger pressure and delivered to dink and scrotum and, the human body moves and and, the human body moves, and, the human body goes up and down the stairs. And it respects and moreover, each part of the human body simply uses the appropriate line.

45 In the human body finger pressure, if it presses according to the corrugated place, it sometimes can support the line which is the finger pressure looks as if it is more cool according to the phallobase brain and scrotum brain and because of naturally stimulating the effect, that dink \*\*\*\*\* exercises and the dink lower part radical in which especially, the nerves of sex is sensitive among walk whenever walst is repetitively pulled up because of being the finger pressure, dink can be sometimes enforced growth to the circulation of the blood which the mood is good in secret. That is, there can be the feature causing the nerves of sex motion as the continued magnetic pole of in secret the dink lower part radical in which the motion hand well does not go the nerves of sex motion is sensitive.

46 Moreover, the penis string which so supports dink the penis string can add the function of strengthening dink to specially, etc more can include the means which is effective for the dink strengthening.

47 And in order to makes have the motion fitness and the finger pressure magnetic pole fitness in which at the same time, dink and scrotum are exactly whenever waist is raised, controlling methods (410a, 410b) can be equipped in the dink supporting strap and scrotum supporting strap border. And in order to boundary can be separated dink and scrotum to churn it can comprise according to moreover, individual so that the partition film adjustment be possible.

48 It can be formed in the , trunks according to the case with integrally. But waistband is separately formed and the

configuration of the independence separating from the trunks can be adopted, it is \*\*\*.

49 [Embodiment 4]

50 As shown in it is seen in Fig. 4, it is the underwear equipped with the sexual contact side (another name Zingiberis Rhizoma cap) in which the sexual contact side is separately prepared.

51 The panti body (500) provides the underwear churn (510) and thigh band (520).

52 The configuration where it more furnishes excessively with one and the separate contact surface (530) is in the sexual contact surface part of the underwear churn (510) of the panti body (500) is achieved.

53 This embodiment can illustrate the intended kind and Zingiberis Rhizoma fitness the intended kind and motion (single string) fitness sanitary as the method which once more furnishes the sexual contact side excessively in the sexual contact side of the underwear churn according to kind as intended kinds.

54 Moreover, the Zingiberis Rhizoma cap obtaining the more developmental effect from the action of the sexual contact side (another name Zingiberis Rhizoma cap) using the walking action and moving is prepared.

55 It respects to the part frequently conveniently replace since it is easy that the direction in which the wedding date contacts is dirty, it is the hygienic Zingiberis Rhizoma cap.

56 In order to form the extrusion means which is fluctuation in the sexual contact side into the some extent thing, the training effect is obtained the Zingiberis Rhizoma cap which is the motion in dink and rubbing the material to the material which is suitable for the cotton material or the silicon back skin. It can include in protrusion to be suitable for Magnetitum and gold or the silver besides skin.

57 And by contacting to be the structure of being particular with the array expression etc. is the same like button equipped with the sexual contact side of cap to the gold or the silver etc. and be rare it obtains the effect that is comfort in body and mind, it is the Zingiberis Rhizoma cap which is the Zingiberis Rhizoma.

58 Moreover, as shown in figs. 5 and figs. 5 the sexual contact surface part of the underwear churn is cut and it is comprised so that the separate churn be adhered to the section. And this separate churn is comprised if necessary, in order to exchange. Fig. 5 provides the sexual contact side among the underwear churn of the underwear (600) and separate meanse (620, 630 and 640) cutting the contact surface vicinity and can open and can close the contiguous area of the wedding date in the cut site (610). In the drawing, it is made up of the measure drawing lock in which the second means (630) seen in the first means (620) seen in the top in the lower part gets sunburned. And the first means and the second means can be adhered to the means which is general for example, \*\*\* etc. so that the respective desorption be possible. The second means, the sexual contact side is adhered with \*\*\* etc. And with exchanging after the use of the fixed period the sexual contact side is comprised.

59 Provided is a plurality of sexual contact sides (another name Zingiberis Rhizoma cap) in the use which as shown is seen in Fig. 5, it manufactures urine and feces outlet of the door type at the lower part of the underwear and the means which does not need to drop the underwear is particular. Convenience. The door type the profitable equation available is desirable with one to do for example, the extrinsic door type or the pair door type and from side to side open and close as the either before or after.

60 As shown in it is seen in Fig. 6, it is the sanitation underwear carrying the sexual contact side (another name Zingiberis Rhizoma cap) of removable in the underwear in which the leg interval is broken down from the front panel back panel to the some extent thing. The means in which the detachable assembly is general can be used. And the genitalia is contacted easy to be dirty part is provided to the feature that it is green or it does not need to drop the underwear waist

from the special use to from time to time conveniently can replace with prepared a plurality of sexual contact sides only the part in which.

- 61 Fig. 6 is made of the configuration which is nearly similar to Fig. 5. And in order to become the middle part (710) of the sexual contact site of the underwear with front and back separation and the sexual contact side (730) is adhered to one side region (720) of the separated site and it exchanges after the use of the fixed period identically with the configuration of Fig. 5 the configuration is comprised.
- 62 According to the kind of the Zingiberis Rhizoma cap, the wedding date and contact the direct or the partition film which it can detach in order to be possible can fabricate. And the letter or the drawing and number or piece etc. consoling and, body and mind can be decorated in the sexual contact side.
- 63 Means directly can fabricate in the panti body. But it is desirable to be decorated in another name Zingiberis Rhizoma cap which is the sexual contact side in which removable is facilitated to the general means, it can do.

→ Effects of the invention

- 64 According to the present invention, configuration is simple with the conventional technology and configuration is facilitated to manufacture. And the result problem between female and the male are solved with the apparatus of the peculiar configuration of the present invention but the sexual dome can be provided. Moreover, , in addition because it is the pleasant sensation to be offered to what while sometimes raising to the finger pressure than the fatigue it always hangs down, have as well as the sexual hygiene cleanness, it is helpful to the circulation of the blood and, people says to be the invention like at the mind or condition or the object of doing for love to leave and support.
- 65 Furthermore, the present invention can improve profitability and marketability of the low price which it is done by the mass production since Holotrichia is facilitated.

### Scope of Claims

#### Claim [1] :

- 66 The healthy under pants of method which right and left alternation iteration which become estranged in the reversed behind which is close to the standards from the front in which the center which moves forward and backward based on the wedding date because of having in the human body front lulling with the human of the upright bipedalism is advanced and with the standards are used for power.

#### Claim [2] :

- 67 The healthy under pants showing the glans wiping effect in terms of the extrusion means of claim 1, wherein it is a plurality of fluctuations in the sexual contact side of the underwear.

#### Claim [3] :

- 68 The underwear in which and, dink and scrotum are equipped while it becomes the motion fitness and finger-pressure effect while dink and scrotum raise dink and scrotum in order to be provocative in the contact function, it becomes.

#### Claim [4] :

- 69 The sanitation healthy under pants which furnishes the sexual contact side which separately carries excessively with removable and used.

#### Claim [5] :

- 70 The sanitation healthy under pants preparing for the sexual contact side in the some extent thing with carrying of claim 4, wherein it becomes separately while being assembled between the leg of the underwear to the front back plate after dividing.

#### Claim [6] :

71 The sanitation healthy under pants preparing for the sexual contact side which becomes separately in the underwear of the special use in the some extent thing with carrying of claim 4, wherein it is equipped with urine and feces outlet of the door type at the lower part of the underwear.

Claim [7] :

72 The sanitation healthy under pants of claim 4, wherein the letter for the gold or the silver or body and mind or the drawing and number or piece etc. are decorated in the sexual contact side of the underwear.

Claim [8] :


73 The sexual contact side Zingiberis Rhizoma cap detaching from the sexual contact side of the underwear and separately carries.

Claim [9] :

74 The sexual function strength motion wearing part of claim 3, wherein it includes in order to be done by churn according to the function line to the inside and dink, scrotum and buttock are covered.

Claim [10] :


75 The healthy under pants including pitching and yawning motion using the walking action to the wedding date stiffening function.



⇒ Fig. 1




\* Fig. 2a




\* Fig. 2b




\* Fig. 2c




\* Fig. 3



\* Fig. 4



\* Fig. 5



\* Fig. 6